



11

kWh/1000h

65

lumens/watt

## LED PAR30 - High CRI - Dimmable

LED PAR30 11W(85)D 930 35°E27 TU  
93104932

### Product information

Designed for retrofit replacement of incandescent PAR30 with maximised energy reduction. Light output and beam spread comparable to commercially available incandescent PAR30 lamps

### Application areas



Retail



Office



Hospitality



Home

### Product data

Product Code	93104932
Bulb Shape	PAR30
Bulb Finish	Glass
Bulb Diameter [mm]	96
Nominal Length [mm]	93
Maximum Overall Length [mm]	95
Net weight per piece [g]	150
Operating position	Universal
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	E27

### Performance data

Nominal/ Rated Beam Angle [°]	35
Color consistency (SDCM)	< 4 SDCM
Colour Code	930
Nominal center beam candlepower (CBCP) [cd]	1500
Weighted energy consumption [kWh/1000h]	11.0
Rated useful lumens [lm]	630
Energy efficiency class (EEC)	G
Rated life L70/B50 [h]	25000
Nominal correlated colour temperature (CCT) [K]	3000
Nominal lumens [lm]	720
Colour Rendering Index (CRI) [Ra]	90



## Electrical data

Nominal lamp power factor...	$\geq 0.7$
Rated power [W]	11.0
Operating Temperature (MIN) [°C]	-20C
Operating Temperature (MAX) [°C]	40C
Starting time (sec)	$< 0.5$
Warm up time up to 60% of full light output	$< 1$
Number of switching cycles	13000
Dimming Capability	Yes
Nominal power [W]	11

## Logistic data

Shipment	Standard
DUN Code	15994100014727
EAN Code	5994100014720
Pack Quantity	6
Inner pack type	Box
Outer pack type	Outer Box
Product status	Available

## Light distribution



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Datasheet \(PDF\)](#)

[Images \(HTTP\)](#)

[DoC document \(PDF\)](#)

[Datasheet \(FR\) \(PDF\)](#)

